

KoPropo News December

11/27/2014 16:18 by admin (comments: 0) KoPropo

For example, the Steering Drop Extension Unit for the EX-1 KIY, an EX-1 battery stand unit for 2S LiPo o. LiFePo and 5 cell NiMH pack and a new servo designed especially for most 1/12 models.

EX-1 KIY Battery Stand Unit

Optional battery stand allow for the use of a 5 cell NiMH Rx pack or 2S LiFe/LiPo Rx pack.

Includes:

- Battery Stand base with built in swivel kick-stand
- Battery tray adapter

Max battery dimensions: 87x30x18mm

Item No.: KO10546





EX-1 KIY Steering Drop Extension Unit



This is a complete steering unit that drops the steering down.

- 40g lighter than the 3D Wheel Extension Unit.
- Does not tilt but wheel is 13mm further in compared to the 3D Wheel Extension Unit.
- Spring tension adjustment.

Item No.: KO10549



EX-1 KIY aluminum steering wheel

Alumium steering wheel with adjustable mount to adjust the max. steering angle.

Set includes:

- Aluminum steering wheel
- Foam wheel ring
- Mount

Item No.: KO10551





Aluminum Screw Set for EX-1 (Blue)



Blue aluminum screws to replace exterior screws for the Master Unit and Grip Unit of the EX-1 KIY.

Item No.: KO10533

Aluminum Screw Set for EX-1 (Silver)

Silver aluminum screws to replace exterior screws for the Master Unit and Grip Unit of the EX-1 KIY.

Item No.: KO1053



Aluminum Screw Set for EX-1 (Red)



Red aluminum screws to replace exterior screws for the Master Unit and Grip Unit of the EX-1 KIY.

Item No.: KO10534







RSx 12

Item No. KO30114

Special servo for use with 1:12 models with cordless motor and double bearing.

Speed:	0.13s@60°(6.0V)
Torque:	7,5kg-cm(6.0V)
Size:	33 x 26 x 15 mm
Weight:	26,0 g



RSx **twelve 12**



1st gear plastic / others metal



double ball bearing