

eFuel 30A Power Supply (SK-200013)



eFuel 30A Power Supply

Your eFUEL switching DC Power Supply is designed to use household AC power source to power equipments that required DC power. The eFUEL converts standard household power 100-240V AC to 12-18V DC power and can supply up to 30 amperes of continuous power.

Features

Tow DC power outputs, up to 30A

Adjustable output voltage, 12-18V

Large LCD display shows voltage and current

Two USB power ports, 5V and 1000mA


Smart cooling fan

Overtemperature protection

Overload protection

Short-circuit protection

Illustration



TECHNISCHE DATEN

Input Voltage	100-240V AC
Input AC Frequency	50-60Hz
Output Voltage	12-18V DC \pm 0.5V
Output Current	30A \pm 1A
Current Overload Protection	>31A 500ms
Input Fuse	10A
LCD Display	Voltage Precision: \pm 0.3V Current Precision: \pm 0.3A
Output Voltage Ripple	0.98
Over Temperature Protection	65°C
Cooling Method	Cooling Fan
Operating Temperature Range	0-40°C
Operating Humidity Range	0-90%
Weight	1.62g
Dimensions (LxWxH)	218x139x59.5mm

DOWNLOADS

• [SkyRC eFuel 30A PSU \[SK200013\] Manual \(937.4 KB\)](#)

